


Ultram End of Stroke Switches

PCQ, PKQ, RSU-1

Compatible and Tested for use with:

Ultram Rodless Cylinders




Part Numbers

Part Number	Description
PCQ	5/16-24 Threaded Barrel Type Inductive Proximity Sensor with Sourcing (PNP) Output, M8 Male Connector
PKQ	5/16-24 Threaded Barrel Type Inductive Proximity Sensor with Sinking (NPN) Output, M8 Male Connector
RSU-1	5/16-24 Threaded Barrel Type Magnetic Reed Sensor with Normally Open Contact Output, 12.5" Pigtail Leads
RSU-1-Q	5/16-24 Threaded Barrel Type Magnetic Reed Sensor with Normally Open Contact Output, M8 Male Connector
PCQC	5/16-24 Threaded Barrel Type Inductive Proximity Sensor with Sourcing (PNP) Output, M8 Male Connector and 2m Mating Cable
PKQC	5/16-24 Threaded Barrel Type Inductive Proximity Sensor with Sinking (NPN) Output, M8 Male Connector and 2m Mating Cable
RSU-1-QC	5/16-24 Threaded Barrel Type Magnetic Reed Sensor with Normally Open Contact Output, M8 Male Connector and 2m Mating Cable
PCQCX	5/16-24 Threaded Barrel Type Inductive Proximity Sensor with Sourcing (PNP) Output, M8 Male Connector and 5m Mating Cable
PKQCX	5/16-24 Threaded Barrel Type Inductive Proximity Sensor with Sinking (NPN) Output, M8 Male Connector and 5m Mating Cable
RSU-1-QCX	5/16-24 Threaded Barrel Type Magnetic Reed Sensor with Normally Open Contact Output, M8 Male Connector and 5m Mating Cable
RSUM-1	M8 by 1.25 Threaded Barrel Type Magnetic Reed Sensor with Normally Open Contact Output, 12.5" Pigtail Leads
RSUM-1-Q	M8 by 1.25 Threaded Barrel Type Magnetic Reed Sensor with Normally Open Contact Output, M8 Male Connector and 5m Mating Cable


Dimensions

Ultran End of Stroke Switches




Wiring Diagrams


PCQ (Sourcing, Solid State)



RSU-1




PKQ



Pin and Wire Assignments for Quick Connect


Switch "Q" Option Male Connector

Face View of M8 Male Connector




C4 and C5 Cable Female Connector


Side View of M8 Female Connector



Face View of M8 Female Connector



RSU Series, Threaded Barrel (Ultran), Reed Switches




Compatible and Tested for use with:

- Ultran Rodless Cylinders



P Series, Threaded Barrel (Ultran), Inductive switches



Compatible and Tested for use with:

- Ultran Rodless Cylinders

